Recorded Steps

This file contains all the steps and information that was recorded to help you describe the recorded steps to others. Before sharing this file, you should verify the following:

- The steps below accurately describe the recording.
- There is no information below or on any screenshots that you do not want others to see.

Passwords or any other text you typed were not recorded, except for function and shortcut keys that you used. You can do the following:

- Review the recorded steps
- Review the recorded steps as a slide show
- Review the additional details

Steps

Previous Next

Step 1: (13/12/2022 19:48:00) User left click on "Application (menu bar)" in "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project]"

Ioadmax - SNC SQL Native Client(OLE DB) [Loadmax] - File Design Yun Tools Window Help	owerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project]
Image: Constraint of the state of the st	🖌 📰 🗔 🔝 🛄 🥃 🗹 🛨 🖳 🗐 🐼 ଲ Kappen 🦝 🦓 👘 👘 🦉 👘 Pause Rec
Ob SnspDev_ X	🔁 pbsplus 🗙
App (C:\PBSDEV\Loadmax2022\Frippfcapsrv.pbl (C:\PBSDEV\Loadmax2022\Frippfcapsrv.pbl (C:\PBSDEV\Loadmax2022\Frippfcapsvv.pbl (C:\PBSDEV\Loadmax2022\Frippfcapsrv.pbl (C:\PBSDEV\Loadma	Seneral Libraries Version Security Run Executable file name: C:\PBSDEV\Loadmax2022\LoadmaX\PBL\Joadmax.exe Resource file name: Project build options Project build options @ Prompt for overwrite Rebuild: Incremental ØWindows classic style @ Eull Code generation options @ Proge Platform: 32-bit Machine code @ Trace information Optimization: Speed
Default Run: Run of pbsplus (19:46:59) Finished Run of pbsplus (19:46:59)	

Step 1 screenshot.

Step 2: (13/12/2022 19:48:05) User left click on "Run CTRL+R (menu item)"

Image: state of the	Incremental Build Workspace Full Build Workspace Deploy Workspace Incremental Build app Full Build app Deploy app Debug app Select and Debug Run app Select and Run Skip Operation Stop Operation	Image: Second Security Image: Second Security Image: Second Security Image: Security <t< th=""></t<>
SinapDev Image: Constraint of the second	Incremental Build app Full Build app Deploy app Debug app Select and Debug Run app Select and Run Skip Operation Stop Operation	Pbsplus × eneral Libraries Version Security Run Executable file name: C:\PBSDEV\Loadmax2022\LoadmaX\PBL\loadmax.exe Resource file name: Project build options
SnapDev_ 	Full Build app Deploy app Debug app Select and Debug Run app Select and Run Skip Operation Stop Operation	3 pbsplus × eneral Libraries Version Security Run Executable file name: C:\PBSDEV\Loadmax2022\LoadmaX\PBL\Joadmax.exe Resource file name: Project build options
app (C	Deploy app Debug app Select and Debug Run app Select and Run Skip Operation Stop Operation	Posplus × eneral Libraries Version Security Run Executable file name: C:\PBSDEV\Loadmax2022\LoadmaX\PBL\Joadmax.exe Resource file name: Project build options
	Debug app Select and Debug Run app Select and Run Skip Operation Stop Operation	eneral Libraries Version Security Run Executable file name: C:\PBSDEV\Loadmax2022\LoadmaX\PBL\Joadmax.exe Resource file name: Project build options
	Select and Debug Run app Select and Run Skip Operation Stop Operation	Executable file name: C:\PBSDEV\Loadmax2022\LoadmaX\PBL\Joadmax.exe Resource file name: Project build options
	Run app Select and Run Skip Operation Stop Operation	Executable file name: C:\PBSDEV\Loadmax2022\LoadmaX\PBL\Joadmax.exe Resource file name: Project build options
⊕	Select and Run Skip Operation Stop Operation	Project build options
⊕	Skip Operation Stop Operation	Project build options
± <mark>015</mark> wms ±015 wms	Stop Operation	Project build options
E wms		
+ WINS / W	Next Error/Message	Prompt for overwrite Rebuild: Incremental
🗄 🚻 wms 🎪 👔	Previous Error/Message	✓ Windows dassic style
wms pbsfunc.pbl (C:\PBSDEV\Loadmax2022\Loa pfcapsrv.pbl (C:\PBSDEV\Loadmax2022\Fra pfcdwsrv.pbl (C:\PBSDEV\Loadmax2022\Fra pfcmain.pbl (C:\PBSDEV\Loadmax2022\Fra pfcutil.pbl (C:\PBSDEV\Loadmax2022\Fra pfcwnsrv.pbl (C:\PBSDEV\Loadmax2022\Fra pfcwnsrv.pbl (C:\PBSDEV\Loadmax2022\Fra pfcwnsrv.pbl (C:\PBSDEV\Loadmax2022\Fra pfeapsrv.pbl		Code generation options Pcode Platform: 32-bit Machine code Irace information Error context information Optimization: Speed

Step 2 screenshot.

Step 3: (13/12/2022 19:48:08) User left click on "Logon (window)" in "Logon"

🔝 LoadmaX

*File *Edit *View *Operations *Reference *Reports *Window *Help



Ready

Step 3 screenshot.

Step 4: (13/12/2022 19:48:09) User left click on "OK (button)" in "Logon"

🔝 LoadmaX

*File *Edit *View *Operations *Reference *Reports *Window *Help



Ready

Step 4 screenshot.

Step 5: (13/12/2022 19:48:11) User left click on "OK (button)" in "of_test"

🔝 LoadmaX

*File *Edit *View *Operations *Reference *Reports *Window *Help



Ready

Step 5 screenshot.

Previous Next

Step 6: (13/12/2022 19:48:15) User left click on "Close (button)" in "LoadmaX - In use by: USER 01 - Platform: TEST Sample Platform"

LoadmaX - In use by: USER 01 - Platform: TEST Sample Platform *File *Edit *View *Operations *Reference *Reports *Window *Help 🔳 Steps Reco Print Preview Delete Ð D NewCopy Save. ↓**F** Sort
 Q
 X
 C

 Find
 Save as Ex...
 Refresh
 ÷ M Q M ٠ • Y I Pause Recor WorkFlow Query Mode Filter New Print First Prior Next Last Close

Previous Next

Step 7: (13/12/2022 19:48:17) User left click on "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project] (window)" in "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project]"

Ioadmax - SNC SQL Native Client(OLE DB) [Loadmax]	- PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project]
File Design Run Tools Window Help	Image: Steps Reconstruction Image: Steps Reconstruction
app (C:\PBSDEV\Loadmax2022\Loadmax wms_proj.pbl (C:\PBSDEV\Loadmax2022\Lc wms_app.pbl (C:\PBSDEV\Loadmax2022\Lc wms_ddw.pbl (C:\PBSDEV\Loadmax2022\Lc wms_ddw.pbl (C:\PBSDEV\Loadmax2022\Lo wms_br.pbl (C:\PBSDEV\Loadmax2022\Lo wms_dw.pbl (C:\PBSDEV\Loadmax2022\Lo wms_dw.pbl (C:\PBSDEV\Loadmax2022\Lo wms_rptw.pbl (C:\PBSDEV\Loadmax2022\Lo wms_rptw.pbl (C:\PBSDEV\Loadmax2022\Lo wms_rptw.pbl (C:\PBSDEV\Loadmax2022\Lo wms_rpt0.pbl (C:\PBSDEV\Loadmax2022\Lo wms_rpt0.pbl (C:\PBSDEV\Loadmax2022\Lo pbsfunc.pbl (C:\PBSDEV\Loadmax2022\L wms_rpd2.pbl (C:\PBSDEV\Loadmax2022\Lo pfcapsrv.pbl (C:\PBSDEV\Loadmax2022\Lo pfcapsrv.pbl (C:\PBSDEV\Loadmax2022\Fra pfcdwsrv.pbl (C:\PBSDEV\Loadmax2022\Fra pf	General Libraries Close Security Run Executable file name: C:\PBSDEV\Loadmax2022\LoadmaX\PBL\Joadmax.exe Resource file name: Project build options Project build options Origination options Odd generation options Optimization: Speed
Default Run: Run of pbsplus (19:46:59) Finished Run of pbsplus (19:46:59)	

Step 7 screenshot.

Previous Next **Step 8: (13/12/2022 19:48:19)** User right click on "loadmax_cloud (tree item)" in "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] -PowerBuilder 2022"



Step 8 screenshot.

Step 9: (13/12/2022 19:48:25) User left double click on "Edit (menu item)"



Previous Next

Step 10: (13/12/2022 19:48:29) User left click on "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [loadmax_cloud (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Proj] (window)" in "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [loadmax_cloud (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj.pbl) - Proj]"



Step 10 screenshot.

Step 11: (13/12/2022 19:48:40) User left click on "OK (button)" in "Logon"

LoadmaX (For Development Use Only)

File Edit View Operations Reference Reports Window Help

Logon Log onto LoadmaX. Connect Using ©Windows Authentication O SQL Authentication Server: PBS41 Database: LOADMAX	₽₩ ● ₽ ₩ <	▶ N ↓ Q ↓ IF Q 🗵	C = :: F	Step
Logon Log onto LoadmaX. Connect Using O SQL Authentication Server: PBS41 Database: LOADMAX				
Logon Log onto LoadmaX. Connect Using OSQL Authentication Server: PBS41 Database: LOADMAX				
Log onto LoadmaX. Connect Using ©Windows Authentication O SQL Authentication Server: PBS41 Database: LOADMAX		Logon		×
Connect Using ©Windows Authenticationi O SQL Authentication Server: PBS41 Database: LOADMAX			Log onto LoadmaX.	<u>ak</u>
O SQL Authentication Server: PBS41 Database: LOADMAX			Connect Using	Cancel
Server: PBS41 Database: LOADMAX			O SQL Authentication	
Database: LOADMAX			Server: PBS41	
			Database: LOADMAX	

Step 11 screenshot.

Step 12: (13/12/2022 19:48:50) User left click on "OK (button)" in "Logon"

LoadmaX (For Development Use Only)

File Edit View Operations Reference Reports Window Help



Step 12 screenshot.

Step 13: (13/12/2022 19:48:52) User left click on "OK (button)" in "of_test"

LoadmaX (For Development Use Only)

File Edit View Operations Reference Reports Window Help



Step 13 screenshot.

Step 14: (13/12/2022 19:48:54) User left click on "OK (button)" in "System Error"

LoadmaX (For Development Use Only)

File Edit View Operations Reference Reports Window Help



Step 14 screenshot.

Return to top of page ...

Additional Details

The following section contains the additional details that were recorded. These details help accurately identify the programs and UI you used in this recording. This section may contain text that is internal to programs that only very advanced users or programmers may understand. Please review these details to ensure that they do not contain any information that you would not like others to see.

Recording Session: 13/12/2022 19:47:53 - 19:49:01

Recorded Steps: 14, Missed Steps: 0, Other Errors: 0

Operating System: 19041.1.amd64fre.vb_release.191206-1406 10.0.0.2.48

Step 1: User left click on "Application (menu bar)" in "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project]" Program: Appeon PowerBuilder 2022, 22.0.0.1892, Appeon, PB220.EXE, PB220.EXE UI Elements: Application, loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project], PBFRAME

Step 2: User left click on "Run CTRL+R (menu item)" Program: Appeon PowerBuilder 2022, 22.0.0.1892, Appeon, PB220.EXE, PB220.EXE UI Elements: Run CTRL+R, Run, #32768, loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project], PBFRAME Step 3: User left click on "Logon (window)" in "Logon" Program: PowerBuilder 64-bit debugging service, 22.0.0.1892, Appeon Limited, PB220DEBUGSERVICE_X64.EXE, PB220DEBUGSERVICE_X64.EXE UI Elements: Logon, FNWNS3, LoadmaX, FNWND3

Step 4: User left click on "OK (button)" in "Logon" Program: PowerBuilder 64-bit debugging service, 22.0.0.1892, Appeon Limited, PB220DEBUGSERVICE_X64.EXE, PB220DEBUGSERVICE_X64.EXE UI Elements: OK, Button, Logon, FNWNS3, LoadmaX, FNWND3

Step 5: User left click on "OK (button)" in "of_test" Program: PowerBuilder 64-bit debugging service, 22.0.0.1892, Appeon Limited, PB220DEBUGSERVICE_X64.EXE, PB220DEBUGSERVICE_X64.EXE UI Elements: OK, Button, of_test, #32770, Logon, FNWNS3, LoadmaX, FNWND3

Step 6: User left click on "Close (button)" in "LoadmaX - In use by: USER 01 - Platform: TEST Sample Platform" Program: PowerBuilder 64-bit debugging service, 22.0.0.1892, Appeon Limited, PB220DEBUGSERVICE_X64.EXE, PB220DEBUGSERVICE_X64.EXE UI Elements: Close, LoadmaX - In use by: USER 01 - Platform: TEST Sample Platform, FNWND3

Step 7: User left click on "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project] (window)" in "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project]" Program: Appeon PowerBuilder 2022, 22.0.0.1892, Appeon, PB220.EXE, PB220.EXE UI Elements: DYTAB, loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [pbsplus (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Project], PBFRAME

Step 8: User right click on "loadmax_cloud (tree item)" in "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022" Program: Appeon PowerBuilder 2022, 22.0.0.1892, Appeon, PB220.EXE, PB220.EXE

UI Elements: loadmax_cloud, PBTreeView32_100, _UBBrowserViewParentClass_, _PLViewClass_, pbwork0, Library, pbsheet0, loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022, PBFRAME

Step 9: User left double click on "Edit (menu item)" Program: Appeon PowerBuilder 2022, 22.0.0.1892, Appeon, PB220.EXE, PB220.EXE UI Elements: Edit, Context, #32768

Step 10: User left click on "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [loadmax_cloud (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Proj] (window)" in "loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [loadmax_cloud (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Proj]" Program: Appeon PowerBuilder 2022, 22.0.0.1892, Appeon, PB220.EXE, PB220.EXE UI Elements: FNFIXEDBAR, loadmax - SNC SQL Native Client(OLE DB) [Loadmax] - PowerBuilder 2022 - [loadmax_cloud (app) (C:\PBSDEV\Loadmax2022\LoadmaX\PBL\wms_proj\wms_proj.pbl) - Proj], PBFRAME

Step 11: User left click on "OK (button)" in "Logon" Program: LOADMAX_CLOUD.EXE, LOADMAX_CLOUD.EXE UI Elements: OK, Button, Logon, FNWNS3, LoadmaX (For Development Use Only), FNWND3

Step 12: User left click on "OK (button)" in "Logon" Program: LOADMAX_CLOUD.EXE, LOADMAX_CLOUD.EXE UI Elements: OK, Button, Logon, FNWNS3, LoadmaX (For Development Use Only), FNWND3

Step 13: User left click on "OK (button)" in "of_test" Program: LOADMAX_CLOUD.EXE, LOADMAX_CLOUD.EXE UI Elements: OK, Button, of_test, #32770, Logon, FNWNS3, LoadmaX (For Development Use Only), FNWND3

Step 14: User left click on "OK (button)" in "System Error" Program: LOADMAX_CLOUD.EXE, LOADMAX_CLOUD.EXE UI Elements: OK, Button, System Error, #32770, Logon, FNWNS3, LoadmaX (For Development Use Only), FNWND3 Return to top of page...